



Ventilation Accessories
Zero Aircon Technologies
UPGRADE YOUR INDOORS

VENTILATION ACCESSORIES



Double speed switch



EC Wired smart switch



Stainless air outlet



PVC+Aluminum flexible duct



Adaptor



Rotated and adjustable grille



Lintel device



Hoops



Check valve



Noise reduce duct




Adjustable grille



PE Flexible duct

ZERO AIRCON TECHNOLOGIES
E/ 001, Shubham Paradise, S. P. Road,
Katemanivali, Kalyan East 421306
www.zeroaircon.in / +91-8169587319


Disk Diffuser



MODEL	Size	A	B	C	D	E	F
JS506	75mm	120	100	70	88	71	72
JS506	100mm	148	112	90	85	71	95
JS506	125mm	180	140	115	87	73	120
JS506	150mm	210	165	140	90	75	145
JS506	200mm	266	218	190	100	80	195

- The middle disc adjusting design is convenient to adjust the air volume and the balance of air pressure.
- The panel and gear sleeve can be separated, easy to install and clean.
- Suitable for air outlet of household and commercial air fresh system to adjust air volume.

MODEL	Size	A	B	C	D	E	F
AK120-E	100mm	150	130	110	95	62	90
AK150-E	150mm	205	185	152	144	62	93




3 Step Diffuser



- The design of three stage press adjustment can be used more than 20000 times.
- The panel is detachable, can be installed on the ceiling or wall.
- With silver ion filter, it can effectively kill harmful bacteria.


Round Grill



Model	Size	A	B	C
JS522	75mm	115	73	80
JS522	100mm	148	95	80
JS522	125mm	179	120	80
JS522	150mm	210	145	80

- The straight louver design, low wind resistance and low noise.
- The panel and gear sleeve can be separated, easy to install and clean.
- Suitable for air outlet of household and commercial air fresh system to adjust air volume.

Model	Size	A	B	C
AK100-A	100mm	148	95	80
AK125-A	125mm	180	120	86
AK150-A	150mm	210	145	92




Rotating Grill Diffuser



- The middle disc adjusting design is convenient to adjust the air volume and the balance.
- The panel and the gear sleeve can be separated, easy to install and clean.
- Suitable for air outlet of household and commercial air fresh system to adjust air volume.


ABS Fancy Grill




Model	Size	A	B	C
AK100-H	100mm	148	95	80
AK150-H	150mm	210	145	80

- The rose design, beautiful appearance.
- The panel and gear sleeve can be separated, easy to install and clean.
- Suitable for air outlet of household and commercial air fresh system.

MODEL	Size	A	B	C	D	E
NSF100Q	100mm	98	45	147	120	113
NSF150Q	150mm	145	55	186	152	143
NSF200Q	200mm	190	68	225	184	173





Steel Cowl



- The range is complete, the material is thick, the process is exquisite.
- The grid layout inclined louver with aluminium alloy net can be wind-proof, rainproof and insect-proof
- The whole series of products are bright polished.


Outer Cowl Powder Coated



MODEL	Size	A	B	C	D	E
NSF100Q-Grey	100mm	98	45	147	120	113
NSF150Q-Grey	150mm	145	55	186	152	143

- High quality with thick material and exquisite process.
- The grid layout inclined louver with aluminium alloy net can be wind-proof, rain-proof and insect-proof.
- The whole series of products are silver-grey coating.

Model	Size	A	B	C
NSF100P	100MM	148	95	80
NSF150P	150MM	210	145	80




Outer Flat Grill Steel



- The range is complete, the material is thick, the process is exquisite.
- The grid layout inclined louver with aluminium alloy net can be wind-proof insect-proof.
- The whole series of products are bright polished.


Outer Grill ABS



MODEL	Size	A	B	C	D	E	F
FK100-Y	100mm	180	180	150	97	28	45
FK150-Y	150mm	180	180	150	147	28	45

- The design is reasonable, which can be removed to replace or clean the filter.
- Suitable for air outlet of external wall or air vent of heat dissipation for equipment.

Model	Size	A	B	C
AFM100A	100mm	98	185	128
AFM150A	150mm	147	185	128




ABS Oblique Air Grill



- Adopt the check valve baffle plate, the wind resistance is small, and the air duct is not blocked.
- Using anti-aging, anti-ultraviolet materials, more durable.
- Used exclusively for external wall exhaust.


ABS Ball Jet Nozzle




MODEL	Size	A	B	C	D	E	F
AK075-P	75mm	105	96	30	71	66	48
AK100-P	100mm	138	118	46	98	80	57
AK150-P	150mm	198	178	76	148	110	82
AK200-P	200mm	263	241	105	198	140	100
AK250-P	250mm	303	279	120	248	180	135
AK315-P	315mm	383	359	178	313	233	176
AK400-P	400mm	470	440	205	398	280	179

- Conical nozzle make the air volume more concentrated and the air supply distance is longer.
- The angles of air supply is 180°, air supply is more comprehensive.
- It is suitable for air supply of large area, such as high speed railway station, subway, gymnasium, station hall etc.

Model	Size(Inch)	A	B	C
BJ250/200	10-8	260	210	89
BJ200/150	8-6	210	165	89
BJ150/100	6-4	155	95	89





ABS Reducer



- Using a new ABS plastic one-piece molding, with a simple appearance and porcelain white.
- Solving the conversion interface of different sizes.
- Make the construction more standardized and more efficient.

PVC Long Pipe Cowl



Model	Size	A	B	C	D
AFM100-S	100mm	122	485	112	140
AFM150-S	150mm	170	485	160	180

- Adopt the design that can increase and decrease the pipeline.
- Suitable for different north and south regions.
- The external thread of the pipe is designed to tighten, which is more convenient for installation and fixation.

Internal Diameter	Package Size	Expand
100MM	0.5m	10m
150MM	0.5m	10m
200MM	0.5m	5m

PVC Flexible Duct



- It is made of double-wall aluminium foil with additional seat, IPVC Qi, and instant burning steel wire brand.
- The EU standard water is used, which is environmentally friendly.
- Thick layer of grey PVC on this ducting prevents light leaks and repels heat from your light fixtures.

Aluminium Flexible Duct



Internal Diameter	Package Size	Expand
100MM	1m	3m
125MM	1m	3m
150MM	1m	3m
200MM	1m	3m
250MM	1m	3m


- Aluminium Flexible Duct is constructed using a special aluminium alloy that prevents corrosion and metal fatigue.
- The machine fabrication produces a continuous lock seam that permits the duct to be pulled open, compressed, bent and re-bent without developing leakages.
- Our aluminium duct does not delaminate or die out when it is heat aged and can be installed with severe bends

Size
100MM
150MM

Noise Reducer




- Noise Reducer for Inline Duct Fan.
- Reduces irritating and damaging noise levels for auditory health and more pleasant living and working spaces.
- Decreases fan noise up to 50%.



Model	Size	A	B	C
AT100-Y	100mm	95	95	95
AT150-Y	150mm	145	145	145

- Using new ABS plastic integral molding, simple appearance and porcelain white.
- The Y-shaped three-way air flow is more even.
- The first design with mounting ears makes the installation more convenient.

Model	Size	A	B	C
AZ110-F	110mm	103	84	128
AZ150-F	150mm	150	84	178




- Scientific design, better sealing, small blowing angle and low wind resistance.
- The design of self-drooping without power can effectively prevent air pouring and prevent mosquitoes from entering.
- Two-way pipe design, the installation is more convenient.



Model	Size	A	B	C
TJ100-F	100mm	100	145	155
TJ150-F	150mm	150	145	205
TJ200-F	200mm	200	145	245


- Using new ABS plastic one-piece molding, simple appearance and porcelain white.
- Scientific design, better sealing, large blowing angle and small wind resistance.
- Automatically closed without power, can effectively prevent air from falling into the tank, and even more Mosquito entry.
- Two-way takeover design, easier to install.

Model	Size	A	B	C	D
GL100-Q	100mm	110	370	33	270
GL150-Q	150mm	160	460	33	395



- It is composed of Renxin ABS joint and PVC flat pipe.
- Modern Design and airtight.
- The lintel is not perforated and the building structure is safer the grid has a caliber of 110.116


Filter Box




Model	Size	A	B	C	D	E
AL100	100MM	300	200	200	95	245
AL150	150MM	300	200	200	95	245
AL200	200MM	430	300	300	195	350

- The box body adopts the unique sealing welding design, the surface is electrostatic spraying.
- The quadruple filtration (primary effect, high efficiency, activated carbon, silver ion) can be effectively filtering.
- PM2.5 and formaldehyde etc. other harmful substances.
- The humanized design does not request to use any tools to replace the filter core.

MODEL	A	B	C
100MM	180	180	100
150MM	180	180	150



ABS Pre Filter



- A pre-filter is a device that filters big particles from the air before it enters the room.
- Pre-filters are used in air purifying equipment that is installed in homes, commercial buildings, transports, and public areas.
- Easy to clean.

Steel Clumps



Size	Tighten Grip
100MM	90-115
150MM	140-165
200MM	195-220
250MM	230-255
315MM	290-310

- The whole series of 201 stainless steel is refined;
- The design is scientific, and the steel belt will not be detached due to the large force;
- It adopts external hexagon and one-word slot, which is more convenient to install.

Size
100MM
150MM
200MM

- Made from high-quality PVC.
- The design is scientific, and the tremendous force will not separate the clumps.
- It's easy to install.

PVC Clumps

